

# L810



Delivering low-cost and Epson-quality PC-less photo printing, the L810 is our first A4 6-colour ITS photo printer with an LCD screen,

This A4 ITS photo printer easily prints Epson-quality and low-cost photos from memory cards or directly from cameras using PictBridge. Ideal for photographers using these printers at events or in a studio, the L810 delivers reliable and high-quality photo printing together with more advanced functions such as an LCD display and CD/DVD printing.

### Ultra-low-cost photo printing

The L810 offers affordable printing and a low cost per print. Each set of ink bottles can print up to 1900 10x15cm photos<sup>1</sup>, delivering an ultra-low cost per photo.


### Easy to use and reliable

Increase productivity and reduce downtime with hassle-free set up and reliable printing. The purpose-built ink tank is fully integrated into the printer, so you can enjoy reliable colour printing without the mess or hassle often associated with non-genuine refills and third-party ink tank systems. Epson-genuine ink bottles make it easy to refill the ink tank with their clear labelling and drip-free nozzle. The L810 has 70ml ink tanks and comes with a 12 month (or 3,000 page) warranty, providing peace of mind and help should you need it. The 6.9cm LCD screen allows for easy and convenient printing without a PC.

### Epson-quality printing

The L810 utilises genuine Epson ink and Epson's Micro Piezo technology to produce consistent-quality prints. Fast photo print speeds of approximately 12 seconds per 10x15cm photo<sup>2</sup> ensure that you won't be waiting around for print jobs.

## DATASHEET



## KEY FEATURES

- **Epson Quality**  
Purpose-built, refillable ink tank
- **Peace of mind**  
Covered by Epson's warranty
- **PC-less printing**  
Use the LCD screen to print from memory cards and cameras
- **Value for money**  
Ultra-low-cost per print
- **User-friendly**  
Hassle-free with simple set-up

## PRODUCT SPECIFICATIONS

<b>TECHNOLOGY</b>	
Printing Method	On-demand inkjet (Piezo electric)
Minimum Droplet Size	1.5 pl, With Variable-Sized Droplet Technology
Ink Technology	Dye Ink
Printing Resolution	5,760 x 1,440 dpi

### PRINT

Printing Speed ISO/IEC 24734	5 pages/min Monochrome, 4.8 pages/min Colour
Maximum Printing Speed	37 pages/min Monochrome (plain paper), 38 pages/min Colour (plain paper), 12 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)
Colours	Black, Cyan, Light Cyan, Yellow, Magenta, Light Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### PAPER / MEDIA HANDLING

Number of paper trays	1
Paper Formats	A4, A5, A6, B5, C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 13 x 20 cm, 20 x 25 cm, 100 x 148 mm, 16:9, Legal
Duplex	Manual
Print Margin	0 mm top, 0 mm right, 0 mm bottom, 0 mm left (Wherever margin is defined. Otherwise 3mm top, left, right, bottom.)
Paper Tray Capacity	100 Sheets Standard, 100 Sheets maximum, 20 Photo Sheets
Media Handling	Borderless print, CD/DVD print

### GENERAL

Energy Use	1.6 W (sleep mode), 14 W (printing), 4.1 W (Ready), 0.4 W (Power off), ENERGY STAR® qualified
Product dimensions	542 x 386 x 196 mm (Width x Depth x Height)
Product weight	8.2 kg
Noise Level	5.1 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 37 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode
Compatible Operating Systems	Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.6.8 or later, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, XP Professional x64 Edition
Included Software	Epson Easy Photo Print

### OTHER FEATURES

LCD screen	Type: Colour, Touch-panel, Diagonal: 6.9 cm
Memory Cards	MagicGate Memory Stick, Memory Stick, Memory Stick PRO, SD, SDHC, SDXC, MagicGate Memory Stick Duo*, Memory Stick Duo*, Memory Stick Micro M2*, Memory Stick PRO Duo*, Memory Stick PRO-HG Duo*, MicroSD*, MicroSDHC*, MicroSDXC*, MiniSD*, MiniSDHC* (* Adaptor required, not supplied in box)

## LOGISTICS INFORMATION

SKU	C11CE32401
EAN code	8715946540443
Multiple Order Quantity	1 Units
Country of Origin	Indonesia
Pallet Size Euro	14 Units



\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)  
 Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04  
 (Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83  
 Ireland 01 436 7742  
 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00  
 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621  
 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)  
 Switzerland 022 592 7923  
 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

## L810

### WHAT'S IN THE BOX

- 6 x 70ml individual ink bottles (Bk,C,Y,M,Lc,LM)
- Driver and utilities (CD)
- Main unit
- Power cable
- Setup guide

### INK CARTRIDGE COMPATIBILITY

- T6731
- T6732
- T6735
- T6736
- T6733
- T6734



1. Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103 with replacement sets of ink. Quoted yields are NOT based on ISO/IEC 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower.
- 2.
3. For test conditions, please visit [www.epson.eu/testing](http://www.epson.eu/testing)

**EPSON®**