DATASHEET

Epson Stylus Office BX305FW



Bring high-speed Wi-Fi and laser-like prints to the office with this dependable business 4-in-1 with auto document feeder, speed-dial fax and wallet-friendly individual inks.

Reinvent the way your small business prints, scans, copies and faxes with this reliable 4-in-1. Multiple users can print, scan and fax over a network using the latest 802.11n high-speed Wi-Fi*².

Add efficiency to your office with 5 speed-dial fax buttons and an auto document feeder for faster multi-page faxing, scanning and copying. And save money with individual inks – only replace the colour used.

Print laser-like text documents, vibrant colour and brilliant graphics with Epson DURABrite Ultra Ink, and control, edit and share scanned documents easily with Presto! PageManager® 9 software.

34 ppm*1 Print Scan Copy Fax













WHAT'S IN THE BOX

- Epson Stylus Office BX305FW
- 4 individual ink cartridges
- Software CD
- Basic operations guide
- 'Start Here' guide
- Wi-Fi setup guide
- Control panel icon sticker
- Warranty document
- Power cable
- Phone cable
- Presto! PageManager® 9 CD

FOR THE BEST RESULTS ALWAYS USE GENUINE EPSON INK AND PAPER.

Epson DURABrite Ultra Ink is perfect for all your office printing because it gives you long-lasting Epson quality on a wide range of media.

- Laser-like text documents and vibrant colour
- Instant-drying prints are water, smudge, highlighter and fade resistant
- Resin-coated pigment technology works perfectly on a wide range of media















PRODUCT SPECIFICATIONS

Epson Stylus Office BX305FW

INK CARTRIDGE COMPATIBILITY



● T1291 T1292 T1293 T1294



● T1281 T1282 T1283



T1284 ●●●● T1285

Pinting method A-colour injet printer, Epson Micro (percol My print head Nozzie configuration Diopiet size 4 of (minimum) with Variable sized Diopiet Technology His system PRINT RESOLUTION Up to 5750x1440 optimised pion suitable media using RPM (Resolution Performance Management) PRINT SPEED Black text A4 Up to 15 ppm" Obto 16 to 5 ppm" Obto 17 to 15 ppm " Obto 17 to 15 ppm" Obto 17 to 15 ppm " Obto 17 to 15 ppm " Obto 18 ppm" Obto 18 to 15 ppm" Obto 18 ppm " Obto 18 ppm " Obto 18 ppm " Obto 18 ppm" Obto 18 ppm "	PRINT TECHNICION	
Nozzie Sieck / 29 nozzies pieck / 29 nozzies, each colour (syan, magenta, yellow)	PRINT TECHNOLOGY	A sala mislist mistar Faran Missa DisaatManiathaani
Dioplet size 4-pl (minimum) with Variable-sized Droplet Technology First system Epon DURABfill to lite in k PRINT RESOLUTION Up to 5760x1440 optimised dpi on suitable media using RPM (Recolution Performance Management)		
PRINT RESOLUTION		
PRINT RESOLUTION Up to 5760x1440 optimised dpi on suitable media using RPM (Resolution Performance Management) PRINT SPEED Black tot AM Up to 15 ppm** Photo 10x15 cm Aprox. 72 secs** SCANNING SCANNI		
Resolution Performance Management) Filter	IIIK System	Epson Donabile olia irik
Black text AI Colour text AI Photo 10x15 cm SCANNING SCANNING SCANNING SCANNING Scan resolution 1200x2400 dpi Af listbed colour image scanner Generology Generology Generology Generology AI listbed colour image scanner Generology Generology Generology Generology Generology AI listbed colour image scanner Generology Generology Generology Generology Generology AI listbed colour image scanner Generology Generol	PRINT RESOLUTION	
Colour test Ad Aproxo 72 sees** SCANNING SCAN resolution	PRINT SPEED	
Proto 10x15 cm Approx. 72 secs** SCANNING SCANNING Scan resolution Technology At flatbed colour image scanner Clour Ax 300 dpl 2.2 msec/line, 600 dpl 7.0 msec/line Clour Ax 300 dpl 7.5 msec/line, 600 dpl 7.0 msec/line Clour Ax 300 dpl 7.0 msec/lin	Black text A4	Up to 34 ppm*1
SCANNING Scan resolution Technology Sensor type Sensor type Sensor type Black At: 300 dpi 2:2 msec/line, 600 dpi 7:0 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 7:0 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 7:0 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 7:0 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 7:0 msec/line FAX FUNCTION Type of tax Yes Fax spead Fax for tax Yes Fax spead Fax resolution Corrorection mode Fax spead (sis/max) Page memory Page memory Page transmission speed Colour At: 300 dpi 7:5 msec/line, 600 dpi 7:0 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 7:0 msec/line For correction mode Fax spead (sis/max) Fax spead (sis/max) Page memory Fax spead (sis/max) Page memory Page transmission speed Colour At: 300 dpi 7:0 msec/line Corrorection mode Go names and numbers Up to 180 pages (ITU-T No.1 othert) Approx. 3 see per pages Group dial, Delayed fax, Broadcast fax (mono only) At Fax transmission speed Colour At: 300 dpi 7:0 msec/line Approx. 3 see per pages Fix transmission speed Colour At: 300 dpi 7:0 msec/line Approx. 3 see per pages Fix transmission speed Colour At: 300 dpi 7:0 msec/line Approx. 3 see per pages Fix transmission speed Colour At: 300 dpi 7:0 msec/line Approx. 3 see per pages Fix transmission speed Colour At: 300 dpi 7:0 msec/line Approx. 3 see per pages Fix transmission speed Fix transmission speed Colour At: 300 dpi 7:0 msec/line Approx. 3 see per pages Fix transmission speed F		
Scan resolution Technology And fathed colour image scanner Clis Speed Black At: 300 dpi 2:2 msec/line, 600 dpi 7:0 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 13:1 msec/line Colour At: 300 dpi 7:5 msec/line, 600 dpi 13:1 msec/line FAX FUNCTION Type of fax PC fax Fax speed PC fax Fax speed Post Start Speed Post Start Speed Up to 33.6 kbps Slandard (20010), Fine (200220), Photo (200200 with error diffusion) Fax speed (36), final) Fax speed (36), fin	Photo 10x15 cm	Approx. 72 secs*1
Technology Sensor type Speed Sensor type Speed Sensor type Speed Sensor type Speed S	SCANNING	
Sensor type Speed Black A4: 300 dpi 2.2 msec/line, 600 dpi 7.0 msec/line Colour A4: 300 dpi 7.5 msec/line, 600 dpi 13.1 msec/line Colour A4: 300 dpi 7.5 msec/line, 600 dpi 13.1 msec/line FAX FUNCTION Type of fax PO fax PO fax PS speed Up 13.6 kbps Standard (200x100), Fine (200x200), Photo (200x200 with error diffusion) Fax speed disk (max) Page memory Up to 180 page (TU-T No.1 chart) Fax transmission speed OF marines and numbers Page memory Up to 180 page (TU-T No.1 chart) Fax transmission speed Approx. 3 sec per page OF marines and numbers Page memory Up to 180 page (TU-T No.1 chart) Approx. 3 sec per page OF marines and numbers Page report Page	Scan resolution	
Black Ast. 300 dpi 2.2 msecvline, 600 dpi 7.0 msecvline Colour Ast. 300 dpi 7.5 msecvline, 600 dpi 13.1 msecvline FAX FUNCTION Type of fax PC fax PC fax Fax speed Fax speed Glas (max) Page memory Page memory Page memory Page memory Page truthcrises Approx. 3 see per page Group dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION Maximum document size Page rithcress Maximum number of pages Black Ast. 300 dpi 7.5 msecvline, 600 dpi 13.1 msecvline CCITULTIU Group5 fax with Error Correction Mode Fax speed dials (max) Page memory Page memory Page from fax treamssison speed Correction mode Fax treamssison speed Fax tr	Technology	A4 flatbed colour image scanner
Colour A4: 390 dpi 7.5 msec/line, 600 dpi 13.1 msec/line AAX FUNCTION Type of fax PC fax Sax PC fax Yes Fax resolution Fax speed Fax resolution Fax peed Fax resolution Fax peed disla (max) Page memory Up to 180 pages Fax resolution Fax transmission speed Fax peed disla (max) Page memory Up to 180 pages (TUL+TN.1 chart) Approx. 3 sec per page Grup dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION Maximum document size Paper type Paper thickness 75 - 95 g/m² United Sax Verification Fax transmission speed Fax peed disla (max) Paper type Paper thickness 75 - 95 g/m² LCD SCREEN 2-line text INTERFACE USB Hi-Speed USB - Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/m² WIRELESS SECURITY WEP - 64 bit WEP - 128 bit WEP		
Type of fax PC f	Speed	
Type of fax PC fax PC fax PC fax Fax speed fax Fax resolution Error correction mode Far speed fask gwide Fax transmission speed Other functions Approx. 3 see per page Group dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION Maximum document size Pager type Pager thickness Fax page fask gwide Fax pager fax gwide Fax page	EAV ELINICTION	
FÖ tax Yes Fax speed Fax resolution Fax paged		Walk-up Black and white and colour fav canability
Fax speed Fax resolution Fax resolution Fax resolution Fax resolution Fax speed (alls (max) Page memory Page memor		
Fax resolution Fax speed dials (max) Page memory Fax transmission speed COCTIVITU Groups fax with Error Correction Mode 60 names and numbers Page memory Fax transmission speed COCTIVITU Groups fax with Error Correction Mode 60 names and numbers Page memory Fax transmission speed Conter functions APPER HARDLINN ADFERNATION Maximum document size Paper type Paper thickness Fas g/m² APPER HARDLING LOB SCREEN APPER HARDLING WIRELESS SECURITY WEP – 64 bit WEP – 128		
Error correction mode Fax speed disig (max) Page memory Approx. 3 see per page Group dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION Maximum number of pages APPROPER HANDLING USB WIRELESS SECURITY WIRELESS SECURITY WEP – 64 bit WEP – 728 bit WEP – 84 bit WEP – 128 bi		
Fax speed dials (max) Page memory Page mem		
Page memory Aprex Aprex 3 sec per page Group dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION APPEX FUNCTION APP		
Fax transission speed Other functions Group dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION Maximum document size Paper type Paper thickness 75 – 95 g/m² 30 (based on Xerox-P 75 g/m²) LCD SCREEN LCD SCREEN 2-line text INTERFACE USB Wi-FI WIRELESS SECURITY WEP – 64 bit WEP – 128 bit WEP – 128 bit WEP – 128 bit WEP – 85K (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – sompliant with WPA2 WPA		
Other functions Group dial, Delayed fax, Broadcast fax (mono only) ADF FUNCTION Maximum document size Paper trickness 30 (based on Xerox-P 75 g/m²) LCD SCREEN 2-line text INTERFACE USB Hi-Speed USB - Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/n²² WIRELESS SECURITY WEP - 64 bit WEP - 128 bit WEP - 128 bit WEP - 84 bit WE		
Maximum document size Paper type Paper thickness Plain paper only 75 – 96 g/m² 30 (based on Xerox-P 75 g/m²) 1.CD SCREEN 2line text INTERFACE USB Wi-Fi WiRELESS SECURITY WEP – 64 bit WEP – 128 bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – c		
Maximum document size Paper type	ADF FUNCTION	
Paper type Plain paper only Paper type Paper thickness 75 – 95 g/m² 30 (based on Xerox-P 75 g/m²) LCD SCREEN 2-line text INTERFACE USB Hi-Speed USB – Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/n²² WiRELESS SECURITY WEP – 64 bit WEP – 128 bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – sompliant with WPA2 WPA – PSK (TKIP) – sompliant with WPA2 WPA – PSK (TKIP) – the paper (64 g/m²) A4, Letter, Legal, 20x26 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C8 Orm top, left, right, bottom via custom settings in printer driver*3 in the cartridges of the paper (84 g/m²) A1 individual ink cartridges with the paper (84 g/m²) A1 individual ink cartridges with the paper (84 g/m²) A2 individual ink cartridges with the paper (84 g/m²) A2 individual ink cartridges with the paper (84 g/m²) A2 individual ink cartridges with the paper (84 g/m²) A2 individual ink cartridges with the paper (84 g/m²) A2 individual ink cartridges with the USB 2.0 Specification WPA2 with WPA2		A4
Paper thickness 75 – 95 g/m² 30 (based on Xerox-P 75 g/m²) LCD SCREEN 2-line text NTERFACE USB Hi-Speed USB – Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/n²² WIRELESS SECURITY WEP – 64 bit WPP – 128 bit WPP – 12		
Maximum number of pages 2-line text Column		
HI-Speed USB - Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/n*2 WIRELESS SECURITY WEP - 64 bit WEP - 128 bit WPA - PSK (TKIP) - compliant with WPA2 WPA - PSK (TKIP) - compliant with WPA2 WPA - PSK (AES) - compliant with WPA2 PAPER HANDLING Capacity Input: 120 sheets A4 plain paper (64 g/m²) A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6 B5, 16:9 wide size, Envelopes: No.10, DL, C6 O mm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 3.5W (sleep mode) ENERGY STAR* qualified all-in-one AC 220 - 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Noise level 38 dB(A) (according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Hi-Speed USB – Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/n² WRP – 64 bit WPP – 128 bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 PAPER HANDLING Capacity Input: 120 sheets A4 plain paper (64 g/m²) A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin INK CARTRIDGES A individual ink cartridges Black Cyan Magenta Yellow T1291 T1293 T1293 T1294 Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 38 dB(A) (according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	LCD SCREEN	2-line text
Wireless LAN IEEE 802.11b/g/n²² WIRELESS SECURITY WEP - 64 bit WEP - 128 bit WEP - 128 bit WEP - PSK (TKIP) - compliant with WPA2 WPA - PSK (AES) - compliant with WPA2 PAPER HANDLING Capacity Input: 120 sheets A4 plain paper (64 g/m²) A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 Fox series ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR* qualified all-in-one AC 220 - 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 5.3 8(A) according to ISO/779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO/9296)	INTERFACE	
WIRELESS SECURITY WEP – 64 bit WEP – 128 bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 PAPER HANDLING Capacity Input: 120 sheets A4 plain paper (64 g/m²) A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin O mm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 5.3 B(A) according to ISO97779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	USB	Hi-Speed USB - Compatible with the USB 2.0 Specification
WEP – 128 bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 PAPER HANDLING Capacity Input: 120 sheets A4 plain paper (64 g/m²) A4, Letter, Legal, 20x26 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin 0 mrd top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Oyan Magenta Yellow Apple series 71291 71292 71293 71294 Fox series 71281 71282 71283 71284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR* qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	Wi-Fi	Wireless LAN IEEE 802.11b/g/n*2
WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 PAPER HANDLING Capacity Media size A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin O mm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 38 dB(A) (according to ISO9296)	WIRELESS SECURITY	WEP - 64 bit
PAPER HANDLING Capacity Media size Media size A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin O mm top, left, right, bottom via custom settings in printer driver* INK CARTRIDGES Apple series Apple series Apple series Apple series T1291 T1292 T1293 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later Values GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level S Black Cyan Magenta Yellow Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later 4 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Noise level 532x473x293 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		WEP - 128 bit
PAPER HANDLING Capacity Media size Media siz		WPA - PSK (TKIP) - compliant with WPA2
Capacity Media size Media size Media size Media size Ad, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 O mm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES Aindividual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level STAR® (according to ISO9296)		WPA - PSK (AES) - compliant with WPA2
Media size A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Orm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 Fox series ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR* qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	PAPER HANDLING	
B5, 16:9 wide size, Envelopes: No.10, DL, C6 0 mm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 5.3 B(A) according to ISO97779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Print margin O mm top, left, right, bottom via custom settings in printer driver*3 INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow T1291 T1292 T1293 T1294 Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	Media size	A4, Letter, Legal, 20x25 cm, 13x20 cm, 13x18 cm, 10x15 cm, 9x13 cm, A5, A6,
INK CARTRIDGES 4 individual ink cartridges Black Cyan Magenta Yellow Apple series T1291 T1292 T1293 T1294 T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Black Cyan Magenta Yellow T1291 T1292 T1293 T1294 Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight 9.8 kg Dimensions (WxDxH) excluding carton box Weight 1.1 kg (sexcluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	Print margin	0 mm top, left, right, bottom via custom settings in printer driver*3
Apple series Fox series T1291 T1292 T1293 T1294 T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	INK CARTRIDGES	
Fox series T1281 T1282 T1283 T1284 ELECTRICAL SPECIFICATION Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	Acceloration	
Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Power consumption Approx. 14W (standalone copying, ISO/IEC24712 Pattern) Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	ELECTRICAL SPECIFICATION	
Approx. 3.5W (sleep mode) ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		Approx 14W (standalone conving ISO/IEC24712 Pattern)
ENERGY STAR® qualified all-in-one AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later UARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	TOWAR CONSUMPTION	
Voltage AC 220 – 240V OPERATING SYSTEMS Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight 9.8 kg Dimensions (WxDxH) excluding carton box Weight 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
WARRANTY 1 year standard warranty Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight 9.8 kg 460x411x235 mm Y.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	Voltage	
Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight 9.8 kg Dimensions (WxDxH) excluding carton box Weight Noise level 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	OPERATING SYSTEMS	Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later
Optional extension to 3 years subject to availability GENERAL Dimensions (WxDxH) including carton box Weight 9.8 kg Dimensions (WxDxH) excluding carton box Weight Noise level 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	WARRANTY	1 year standard warranty
Dimensions (WxDxH) including carton box Weight 9.8 kg Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Dimensions (WxDxH) including carton box Weight 9.8 kg Dimensions (WxDxH) excluding carton box Weight Noise level 532x473x293 mm 9.8 kg 460x411x235 mm 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)	GENERAL	
Dimensions (WxDxH) excluding carton box Weight 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		532x473x293 mm
Dimensions (WxDxH) excluding carton box Weight 7.1 kg (excluding ink cartridges and power cable) 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Weight 7.1 kg (excluding ink cartridges and power cable) Noise level 5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper Photo RPM mode 38 dB(A) (according to ISO9296)		
Photo RPM mode 38 dB(A) (according to ISO9296)	Weight	7.1 kg (excluding ink cartridges and power cable)
38 dB(A) (according to ISO9296)	Noise level	5.3 B(A) according to ISO7779 pattern with Epson Premium Glossy Photo Paper/
		so adial faccolating to 1203530)
SOFTWARE Epson Easy Photo Print, Fax Utility, EpsonNet setup, Presto! PageManager® 9	SOFTWARE	Epson Easy Photo Print, Fax Utility, EpsonNet setup, Presto! PageManager® 9

PRODUCT LOGISTICS

SKU code EAN barcode Pallet quantity Country of origin

- *¹ For more information, please visit www.epson-europe.com *² When used with other 802.11n products. Wi-Fi speed may vary depending
- on physical environment

 *3 Otherwise 3 mm top, left, right, bottom





























For more information please contact

Telephone: 0871 222 6702 (UK)* 01 436 7742 (Republic of Ireland) enquiries@epson.co.uk etalk.epson-europe.com 0871 222 6740 E-mail: Chat: Fax:

Web: www.epson.co.uk www.epson.ie







Epson Stylus Office BX305FW Plus

DATASHEET



Epson's Stylus Office BX305FW Plus is the ideal product for small businesses that need to scan, print, copy and fax while keeping costs to a minimum.

This straightforward 4-in-1 can be shared with multiple users over Wi-Fi. Businesses can also be sure of enhanced Wi-Fi security with WPA2 encryption.

Individual DURABrite Ultra Ink cartridges save businesses money as they only replace the colours used. DURABrite Ultra Ink is so versatile it is able to print business-quality graphics and text documents. Because of its durability, prints are highlighter, water, smudge and fade resistant as well as offering fast-drying results.

The BX305FW Plus also comes with Epson Connect, offering more flexibility and freedom, allowing users to quickly and easily print documents and photos wirelessly from smartphones and tablet PCs².

Users also save valuable time with the Automatic Document Feeder (ADF) as multi-page documents can be quickly scanned and copied. With five dedicated speed dial fax buttons, users are able to store the business's most frequently used fax numbers, and the two line text LCD screen allows for fast and easy copying and faxing. All of these time-saving features give staff more time to continue with their workload.

















KEY FEATURES

- Save money with individual inks only replace the colour used
- DURABrite Ultra ink delivers fast-drying business-quality documents
- Print, scan, copy and fax from one compact device
- Share between multiple users with Wi-Fi
- Enhanced Wi-Fi security with WPA2 encryption

FOR THE BEST RESULTS ALWAYS USE GENUINE EPSON INK.

Epson DURABrite Ultra Ink is perfect for all your office printing because it gives you long-lasting Epson quality on a wide range of media.

- Laser-like text documents and vibrant colour
- Instant-drying prints are water, smudge, highlighter and fade resistant
- Resin-coated pigment technology works perfectly on a wide range of media















PRODUCT SPECIFICATIONS

PRINT TECHNOLOGY Printing method Nozzle configuration Droplet size Ink system	4-colour inkjet printer, Epson Micro Piezo print head 128 nozzles black / 42 colour (Cyan, Magenta, Yellow) 3pl (mirimum) with Variable-sized Droplet Technology Epson DURABrite Ultra Ink
PRINT RESOLUTION	Up to 5760×1440 optimised dpi on suitable media using RPM (Resolution Performance Management)
PRINT SPEED Mono text A4 Colour text A4 Photo (10x15)	Up to 34ppm¹ Up to 15ppm¹ Approx. 54secs¹
SCANNING Resolution Technology Sensor type Speed	1200 × 2400dpi A4 flatbed colour image scanner CIS Black A4: 300dpi 2.2 msec/line, 600dpi 7.0msec/line Colour A4: 300dpi 7.5 msec/line, 600dpi 13.1msec/line
FAX FUNCTION Type of fax PC Fax Fax speed Fax resolution Error correction mode Fax speed dials (max) Page memory Fax transmission speed Other functions	Walk-up Black and white and colour fax capability Yes Up to 33.6 kbps Standard (200×100), Fine (200×200), Photo (200×200 with error diffusion) CCITU/ITU Group3 fax with Error Correction Mode 60 names and numbers Up to 180 pages (ITU-T No.1 chart) Approx. 3sec per page Group dial, Delayed fax, Broadcast fax (mono only)
ADF FUNCTION Maximum document size Paper type Paper thickness Maximum number of pages	A4 Plain paper only 75-95 g/m2 30 (based on Xerox-P 75 g/m2)
LCD SCREEN	2-line text
SUPPORTED MEMORY CARDS	Memory Stick, Memory Stick Duo ⁴ , MagicGate Memory Stick, MagicGate Memory Stick Duo ⁴ , Memory Stick PRO HG Duo ⁴ , Memory Stick PRO-HG Duo ⁴ , Memory Stick Micro <m2>⁴, SD, SDHC, MiniSD⁴, MiniSDHC⁴, MicroSD⁴, MicroSDHC⁴, Multi Media Card, MMCplus, MMCmobile <rs-mmc>⁴, MMCmicro⁴</rs-mmc></m2>
INTERFACE USB Wi-Fi	Hi-Speed USB – Compatible with the USB 2.0 Specification Wireless LAN IEEE 802.11b/g/n³
WIRELESS SECURITY	WEP – 64bit, WEP – 128bit, WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2
PAPER HANDLING Capacity Media size Print margin	120 sheets A4 plain paper (64 g/m²) A4, Letter, Legal, 20×25cm, 13×20cm, 13×18cm, 10×15cm, 9×13cm, A5, A6, B5, 16:9 wide size, Envelopes: No.10, DL, C6 Print margin 0mm top, left, right, bottom via custom settings in printer driver ⁵
INK CARTRIDGES Apple series Fox Series	4 individual ink cartridges Black Cyan Magenta Yellow T1291 T1291 T1291 T1281 T1282 T1283 T1284
ELECTRICAL SPECIFICATION Power consumption Voltage	15W standalone copying, 3.7W sleep mode AC 220-240V
OPERATING SYSTEMS	Windows XP/XP-x64/Vista/7, Mac OS 10.4.11 or later
GENERAL Dimensions (WxDxH) Weight Noise level	460 × 411 × 235mm 7.1kg (excluding ink cartridges and power cable) 5.2B(A) (with Epson Premium Glossy Photo Paper/Photo RPM mode) 38dB(A) (with Epson Premium Glossy Photo Paper/Photo RPM mode)
SOFTWARE	Epson Easy Photo Print, Fax Utility, EpsonNet setup, Presto! PageManager 9
WARRANTY	1-year standard warranty

WHAT'S IN THE BOX

- Epson Stylus Office BX305FW Plus
- 4 individual ink cartridges
- Software CD
- Basic operations guide
- 'Start Here' guide
- Control panel icon sticker
- Warranty document
- Power cable
- Presto! PageManager 9 CD

INK CARTRIDGE COMPATIBILITY

- T1291
- T1292
 - T1293
- T1294













LOGISTICS INFORMATION

- SKU code
- Barcode
- · Carton dimensions
- · Carton weight
- Pallet quantity
- · Country of origin
- For more information, please visit www.epson-europe.com
- Requires a wireless connection and the Epson printing app. For more information, and supported devices, please visit
- www.epson-europe.com When used with other 802.11n products. Wi-Fi speed may
- vary depending on physical environment Adaptor required (not supplied in box)
- ⁵ Otherwise 3mm top, left, right, bottom















Optional extension to 3 years subject to availability













Telephone: 0871 222 6702 (UK)⁺ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk etalk.epson-europe.com

⁺ Calls cost 10p per minute plus network extras.

Web:

www.epson.co.uk www.epson.ie

