



KONICA MINOLTA

bizhub 3301P

✍ Black & white A4 printer

✍ Up to 33 pages per minute

✍ Functionality



Printing


- Black & white
- PCL/PS
- Local/Network



Technology

Emperon™ – print controller	Easily compatible with different users and IT environments through Konica Minolta's unified print technology	X
Simitri® HD – polymerised toner	Delivers high print quality and yet ensures reduced print spending as well as lower environmental impact	X
OpenAPI – solution platform	Server-based applications provide efficient workflows for the entire MFP fleet	X
i-Option – special feature	Offers extended scope and advanced MFP functionality in line with individual requirements	X
CSRC – remote service	Keeps productivity up with online monitoring of devices and consumables through the Konica Minolta service	✓
IWS – panel customisation	Improved user-device interaction and enhanced productivity through full MFP panel customisation	X

Option diagram



Finishing functionality



Duplex

Descriptions

bizhub 3301P	Laser printer with 33 ppm b/w. Equipped with standard network interface, PCL 5/6, PostScript 3 and XPS support. Paper capacity of 250 sheets and 50-sheet manual bypass. Media from A6 to A4 and 60–163 gsm. 128 MB memory provided by standard.
PF-P11 Paper tray	A5–A4, 250 sheets, 60–120 gsm
PF-P12 Paper tray	A5–A4, 550 sheets, 60–120 gsm

SCD-4000e Copier desk	Ensures ergonomic height and provides storage space for print media, etc.
UK-P01 User flash	256 MB User flash for storing fonts, forms and macros or to save job account log
NC-P01 Wireless LAN	Wireless LAN to network connector
EH-C591 Convenience stapler	Convenient stapling of up to 50 prints per set
CU-201 Air cleaning unit	Improving Indoor Air Quality by reduced emissions

Technical specifications

SYSTEM SPECIFICATIONS

System memory	128 MB (standard)
Interface	10-Base-T/100-Base-TX Ethernet USB 2.0, IEEE 1284 Bidirectional Parallel Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4 / IPv6); AppleTalk (EtherTalk); TCP; UDP
Printable paper size	A6–A4, customised paper sizes
Printable paper weight	60–163 gsm
Paper input capacity	Standard: 300 sheets Max.: 850 sheets
Paper tray 1	250 sheets, A6–A4, 60–90 gsm
Paper tray 2 (optional)	250 or 550 sheets, A5–A4, 60–120 gsm
Manual bypass	50 sheets, A6–A4, custom sizes, 60–163 gsm
Automatic duplexing	A4; 60–90 gsm
Output capacity	Max.: 150 sheets
Print volume (monthly)	Rec.: 3,600 pages Max.: 50,000 pages
Toner lifetime	Up to 10,000 pages
Imaging unit lifetime	Up to 60,000 pages
Power consumption	220–240 V / 50/60 Hz Less than 520 W
System dimensions (W x D x H)	399 x 382 x 263 mm
System weight	Approx. 14 kg

PRINTER SPECIFICATIONS

Printing process	Electrostatic laser
Print speed A4	Up to 33 ppm
Autoduplex speed A4	Up to 14 ppm
1st print out time	6.5 sec.
Print resolution	1,200 x 1,200 dpi
Page description language	PCL 5/6 PostScript 3 XPS
Operating systems	Windows VISTA (32/64) Windows 7 (32/64) Windows 8 (32/64) Windows 10 (32/64) Windows Server 2008 (32/64) Windows Server 2008 R2 Windows Server 2012 Windows Server 2012 R2 Macintosh OS X 10.x Linux, Citrix
Printer fonts	89 PCL Latin 91 PostScript 3 Emulation Latin
Print functions	Duplex, n-up, watermark, electronic sorting
Mobile Printing	AirPrint (iOS), PageScope Mobile (iOS & Android)

SYSTEM FEATURES

Security	TCP/UDP port disabling; certificate management; SNMPv3; HTTPS server; SSL protocol; IEEE 802.1x support; SMTP authentication
Software	PageScope Net Care Device Manager

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Cartridge Return Program

Konica Minolta Return Program cartridges are patented print cartridges sold at a discount in exchange for the customer's agreement to the license requirement that the cartridges will be used only once and returned only to manufacturer for remanufacturing or recycling. These patented cartridges are licensed for single use only and will stop working after delivering a fixed amount of toner. Toner may remain in the cartridge when replacement is required. Replacement cartridges sold without these restrictions (non-returnable cartridges) are also available. Please contact a Konica Minolta representative for further details and availability.



SAP® Printer Vendor Solution



Visit our product page