
B400 Series



B410d B410dn B430d B430dn B440dn









B400 Series

Printers the whole team can depend on every day, with

absolute confidence.

Smart. Solid. Simple.

In our experience, simplicity equals reliability. And that's what you can expect from our B400 Series printers - a robust, simple design with ultra-reliable digital LED print technology for monochrome printing with absolute confidence.

The simple fact is that digital LED print heads have no moving parts. There's nothing to wear out and hardly anything to go wrong. That's why we're able to guarantee them for at least five years.

Combine that with intelligent design and a range of handy utilities and you'll see why OKI printers just keep on printing, page after page and day after day. They're just what you need for a busy office.

Dependable performance

Regardless of which model you choose, you'll find that the first page appears in just 5.5 seconds and the rest follow at an impressive 28 pages per minute (ppm) - speeds you can be confident of, thanks to a powerful processor and a generous memory that's expandable right the way up to 320MB.

Everything you need

As you would expect from OKI, the B400 Series gives you everything you need from a desktop printer.

Depending on the particular model - and there are five to choose from - you'll get true 1200 x 1200dpi resolution for professional high quality output, a paper capacity of up to 1,110 sheets and cost-effective high capacity toner cartridges (up to 10,000 pages) help you print more, for longer. What's more, every model comes with automatic two-sided printing as standard, saving paper and reducing costs.



Easy to live with

Every model in the B400 Series has that famous OKI ease of use. A large, front-facing LCD display gives clear, at-a-glance status information, and there's a whole suite of powerful productivity software to make life in the office easier than ever.

And that's OKI. Reliable, high quality printers that everyone in the office can depend upon.

Which one's right for you?

Each printer in the B400 Series features digital LED print technology for maximum reliability and fewer interruptions.

The B410d is ideal for dependable personal printing. It features a top resolution of 2400 x 600dpi and an input capacity that can be expanded to almost 800 sheets. A network version, the B410dn, is also available.



■ The B430d offers longer uninterrupted printing and has true 1200 x 1200dpi resolution for crisp, sharp detail. Its enhanced operator panel, optional high capacity toner cartridge and increased paper capacity make it a great choice for heavier workloads. For networked environments, choose the B430dn.



■ The B440dn offers powerful yet affordable desktop performance for small workgroups. With its high duty cycle, a paper capacity that's expandable to 1,110 sheets and the potential for using toner cartridges that will last for up to 10,000 pages, this is the printer of choice for busy offices



	B410d	B410dn	B430d	B430dn	B440dn
Print speed (A4)	28ppm				
Paper capacity	250			530	
Paper sizes	A4, A5, B5, A6, Letter, Legal 13 & 14, Executive, Statement				
Resolution	2400 x 600dpi		True 1200 x 1200dpi		
Automatic duplex	•				
Network card	-	•	-	•	
Multi-purpose tray	1 sheet of 80gsm		50 sheets of sheets		
Memory (RAM)	32MB		64MB		
Printer Language	PCL		PCL/PostScript		

Powerful productivity software

The B410, B430 and B440 are complemented with useful utilities to help you get even more value from these reliable desktop printers:

- Print Control for tracking usage and controlling access for tighter cost control.
- PrintSuperVision browser-based monitoring and management of all your network printers, regardless of make or model.
- Template Manager 3.0 editable, easy to use templates for creating a wide range of office documents.





					D / 20 I		
		B410d	B410dn	B430d	B430dn	B440dn	
Order number		43984811	43984831	43984911	43984931	43992211	
Speed & throughput	A4 Print speed	28ppm					
	Time to first print	Less than 5.5 seconds					
	Warm up time	up to 25 seconds from power save					
	Processor speed	297MHz PowerPC405					
Print quality	Resolution	2400 x	600dpi	True 1200 x 1200dpi			
Typefaces	Printer fonts	87 scaleable PCL fonts, 2 bitmap fonts, OCR-A/B		87 scaleable PCL and	d 136 PostScript fonts, 2 bi	tmap fonts, OCR-A/B	
	Dot matrix fonts		Epson FX and IBM PPR at various pitches				
	Barcode	12 types of one dimension with 28 variations: UPC-A, UPC-E, EAN/JAN-13, Interleaved2of5, Code39, Code 128, EAN/UCC-128, CODABAR, ZIP+4POSTNET, Customer barcode, USPS Zip Barcode					
Compatibility	Printer languages	PCL5e, PCL6, Epson FX, IBM ProPrinter PCL5e, PCL6, Epson FX, IBM ProPrinter, PostScript3					
	Connectivity	IEEE1284 Bi-directional parallel, Hi-Speed USB 2.0	IEEE1284 Bi-directional parallel, Hi-Speed USB 2.0, 10/100BaseTX Ethernet	IEEE1284 Bi-directional parallel, Hi-Speed USB 2.0			
	Network & protocols (on network versions)	10/100BaseTX Ethernet card with internal web server for printer and network card set-up and management. Includes SMTP mail client for alerts. All major network protocols supported - TCP/IP, Netware, Ethertalk and NetBEUI. TCP/IP:-ARP, IPv4/v6, TCPv4, ICMPv4/v6, UDPv4/v6, LPR, FTP, TELNET, HTTP(IPP), BOOTP, DHCP, AutoIP, SMMP, DNS, uPnP, Bonjour, WINS, Windows Rally(WSD-Print, LLTD), SLP, JetDirect protocols. Netware 3.x, 4.x, 5.x, and 6 with full NDS and NDPS support:- QServer over IP and IPX, R-Printer, N-Printer, NCP, SPX, IPX, SAP, RIP, Ethertalk:- ELAP, AARP, DDP, AEP, NBP, ZIP, RTMP, ATP, PAP, NetBEUI: SMB, NetBIOS					
	OS Compatibility ¹	Windows 2000 / XP / XP x64 / Server 2003 / Server 2003 x64 / Vista (32-bit) / Vista (64-bit) / UNIX / Linux; Mac OS X PowerPC 10.2.8 or greater / OS X Intel 10.4.4 or greater				UNIX / Linux;	
Utility Suite ¹		Template Manager 3.0 (Windows only), Op-Panel Download Utility, Print Control Server (Windows only), Print Control Client, Printer Menu Setup Tool	Template Manager 3.0 (Windows only), Print Control Server (Windows only), Print Control Client, PrintSuperVision. net (Windows only), OKI	Template Manager 3.0 (Windows only), Storage Device Manager, Op-Panel Download Utility, Print Control Server (Windows only), Print Control Client	Control Server (Windows PrintSuperVision.net (\ (Windows only), Network E Storage Device Manager) (Windows only), Print only), Print Control Client, Windows only), OKI LPR Extension, Admin Manager (Windows only), Op-Panel ad Utility	
		, i	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool				
Memory	Std RAM		LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer		64MB		
Memory	Std RAM Max RAM	32	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool		64MB 320MB		
Memory Paper handling		32	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB			530 sheets of 80gsm	
·	Max RAM	32	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB			530 sheets of 80gsm	
·	Max RAM Paper capacity of tray 1	32 288	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB	s of 80gsm		530 sheets of 80gsm	
·	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 3MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, E Envelopes:	s of 80gsm 530 sheets of 80gsm gal 13, Legal 14, Executive, 35(JIS), Letter, Legal 13, Leg	320MB 50 sheets of 80gsm Statement (B410 and B43) gal 14, Executive egal 14, Executive, Statem, DL, C5, C6	O only)	
·	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Elti-purpose tray: A4, A5, B5 Envelopes:	s of 80gsm 530 sheets of 80gsm gal 13, Legal 14, Executive, 35(15), Letter, Legal 13, Leg (IJS), A6, Letter, Legal 13, L. Monarch, Com-9, Com-10,	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive egal 14, Executive, Statem, DL, C5, C6	O only)	
·	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Elti-purpose tray: A4, A5, B5 Envelopes:	s of 80gsm 530 sheets of 80gsm gal 13, Legal 14, Executive, 85(JIS), Letter, Legal 13, Letter, Legal 13, Letter, Legal 13, Letter, Legal 14, Letter, up to Legal 16, Letter, up to Legal 16, Letter, Legal 16, Letter, Legal 16, Letter, Legal 17, Letter, Legal 18, Letter, Legal 19, Let	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive egal 14, Executive, Statem, DL, C5, C6	O only)	
·	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Duj Tray 1/2 60-120gsm, d	s of 80gsm 530 sheets of 80gsm gal 13, Legal 14, Executive, 85(JIS), Letter, Legal 13, Legal 13, Le Monarch, Com-9, Com-10, plex: A4, Letter, up to Legal luplex 60-105gsm, multi-pi	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive egal 14, Executive, Statem DL, C5, C6 l14 urpose tray 60-163gsm	O only)	
Paper handling	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Duj Tray 1/2 60-120gsm, d	s of 80gsm 530 sheets of 80gsm gal 13, Legal 14, Executive, 85(JIS), Letter, Legal 13, Legal 13, Legal 13, Legal 13, Letter, Legal 13, Legal 13, Legal 13, Legal 13, Legal 14, Letter, Legal 15, Letter, up to Legal 14, Letter, up to Legal 150 sheets face down	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statem, DL, C5, C6 l14 urpose tray 60-163gsm	O only)	
Paper handling	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Du Tray 1/2 60-120gsm, d	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 55(1S), Letter, Legal 13, Legal 13, Legal 14, Executive, 25(IIS), A6, Letter, Legal 13, Legal 13, Legal 13, Legal 13, Legal 14, Letter, up to Legal 14, Letter, up to Legal 14, Letter, up to Legal 150 sheets face down °C / 20% to 80% RH non-o	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive egal 14, Executive, Statem DL, C5, C6 114 urpose tray 60-163gsm condensing	O only)	
Paper handling Operating conditions	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 3MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Du Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 42	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 35(JIS), Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (Monarch, Com-9, Com-10, plex: A4, Letter, up to Legal luplex 60-105gsm, multi-pr 150 sheets face down °C / 20% to 80% RH non-63°C, 10% to 90% RH non-63°C, 10% to 90% RH non-6	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statement, Dt., C5, C6 l 14 urpose tray 60-163gsm condensing condensing	O only)	
Paper handling Operating conditions	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 3MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Du Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 42	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm sold 13, Legal 14, Executive, 25(IIS), Letter, Legal 13, Legal 14, Expose 14, Letter, up to Legal 14, Letter, up to Legal 14, Letter, up to Legal 14, Letter, up to Season 150 sheets face down or C / 20% to 80% RH non-color 10% to 90% R	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statement 14, Executive,	O only)	
Paper handling Operating conditions Power requirements	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 3MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Duj Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 43 230 V Typical 450W, Pea	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 2al 13, Legal 14, Executive, 2bloop 13, Letter, Legal 14, Letter, Legal 14, Letter, up to Legal 2bloop 150 sheets face down 2c / 20% to 80% RH non-ctrian 150 sheets face down 2c / 20% to 80% RH non-ctrian 150 sheets face down 2c / 10% to 90% RH non-ctrian 150 sheets face down 2c / 20% to 80% RH non-ctrian 150 sheets fac	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statement 14, Executive,	O only)	
Paper handling Operating conditions Power requirements Noise level	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply	32 288 1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 8MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, E Iti-purpose tray: A4, A5, E Envelopes: Duj Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 43 Typical 450W, Pea Operating: Up to 53dB(A)	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 2al 13, Legal 14, Executive, 2bloop 13, Letter, Legal 14, Letter, Legal 14, Letter, up to Legal 2bloop 150 sheets face down 2c / 20% to 80% RH non-ctrian 150 sheets face down 2c / 20% to 80% RH non-ctrian 150 sheets face down 2c / 10% to 90% RH non-ctrian 150 sheets face down 2c / 20% to 80% RH non-ctrian 150 sheets fac	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statement 14, Executive,	O only)	
Paper handling Operating conditions Power requirements Noise level Dimensions (HxWxD)	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply	1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 8MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, E Iti-purpose tray: A4, A5, E Envelopes: Duj Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 43 Typical 450W, Pea Operating: Up to 53dB(A)	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 33113, Legal 14, Executive, 85(JIS), Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (JIS), A6, Letter, Legal 14, Letter, up to Legal Luplex 60-105gsm, multi-pi 150 sheets face down °C / 20% to 80% RH non-ci 3°C, 10% to 90% RH non-ci 3°C, 10% to 90% RH non-ci 4AC +/- 10%, 50 or 60Hz + 10 k 800W, Idle 70W (averagi 10, Standby: 30dB(A), Powellmm x 395mm	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statement 14, Executive,	O only)	
Paper handling Operating conditions Power requirements Noise level Dimensions (HxWxD) Weight ²	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply Power consumption	1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Dul Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 43 230 \ Typical 450W, Pea Operating: Up to 53dB(A) 268mm x 369	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 33113, Legal 14, Executive, 85(JIS), Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (JIS), A6, Letter, Legal 14, Letter, up to Legal Luplex 60-105gsm, multi-pi 150 sheets face down °C / 20% to 80% RH non-ci 3°C, 10% to 90% RH non-ci 3°C, 10% to 90% RH non-ci 4AC +/- 10%, 50 or 60Hz + 10 k 800W, Idle 70W (averagi 10, Standby: 30dB(A), Powellmm x 395mm	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive Legal 14, Executive, Statem DL, C5, C6 l14 urpose tray 60-163gsm condensing condensing /- 2% lee), Power Save 7W let Save: Background Level	O only)	
Paper handling Operating conditions Power requirements Noise level Dimensions (HxWxD) Weight ²	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply Power consumption Printer duty (max)	1 sheet Tray 1	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Dul Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 43 230 \ Typical 450W, Pea Operating: Up to 53dB(A) 268mm x 369	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 55(1S), Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (JIS), A6, Letter, up to Legal luplex 60-105gsm, multi-pi 150 sheets face down °C / 20% to 80% RH non-ci 3°C, 10% to 90% RH non-ci /AC +/- 10%, 50 or 60Hz + kk 800W, Idle 70W (averag ymm x 395mm Approx. 11kgs	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive Legal 14, Executive, Statem DL, C5, C6 l14 urpose tray 60-163gsm condensing condensing /- 2% lee), Power Save 7W let Save: Background Level	O only)	
Paper handling Operating conditions Power requirements Noise level Dimensions (HxWxD) Weight ² Duty cycle	Max RAM Paper capacity of tray 1 Paper capacity optional 2nd paper tray Paper capacity of multi-purpose tray Paper Sizes Paper weight Paper output Temperature/humidity Storage Power supply Power consumption Printer duty (max)	1 sheet Tray 1 Mu	LPR (Windows only), Network Extension, Admin Manager, Op-Panel Download Utility, Printer Menu Setup Tool MB 250 sheets of 80gsm : A4, A5, B5(JIS), Letter, Leg Tray 2: A4, A5, B5 Envelopes: Dul Tray 1/2 60-120gsm, d 10°C to 32 -10°C to 43 230 \ Typical 450W, Pea Operating: Up to 53dB(A) 268mm x 369	s of 80gsm 530 sheets of 80gsm 530 sheets of 80gsm 55(15), Letter, Legal 13, Leg (JIS), A6, Letter, Legal 13, Leg (JIS), A6, Letter, up to Legal luplex 60-105gsm, multi-pi 150 sheets face down °C / 20% to 80% RH non-c °C / 20% to 90% RH non-c VAC +/- 10%, 50 or 60Hz + kl 800W, Idle 70W (averag a), Standby: 30dB(A), Powe rmm x 395mm Approx. 11kgs 3,000 pages/month Pan European 1 year	320MB 50 sheets of 80gsm Statement (B410 and B430 gal 14, Executive, Statement, DL, C5, C6 l 14 urpose tray 60-163gsm condensing condensing /- 2% e), Power Save 7W er Save: Background Level	297mm x 369mm x 395mm	

- Optional (Order number)
- ¹Check local OKI Printing Solutions website for latest driver releases & OS Compatibility

Consumables Information: For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine OKI Printing Solutions toner cartridges. These can be identified by the OKI trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print

Dot Matrix

Description	Life* (pages)	Order Numbers
Black toner	3,500 (B410, B430, B440)	43979102
	7,000 (B430, B440)	43979202
	10,000 (B440)	43979207
Image Drum	25,000	43979002

*All toners: A4 pages yield compliant with ISO/IEC 19752. Printer shipped with 1500 pages yield compliant with ISO/IEC 19752. All Drums: Continuous print.

MFPs

 $Specification\ subject\ to\ change\ without\ notice.\ All\ trademarks\ acknowledged.$

Mono

ASK ABOUT ENERGY STAR

Colour



OKI EUROPE LTD.

Blays House, Wick Road Egham, TW20 0HJ **United Kingdom** T+44(0) 20 8219 2190 F+44(0) 20 8219 2199

WWW.OKIPRINTINGSOLUTIONS.COM

